

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 01/03/2019 Date of Issue: 11/09/2015

Version: 2.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: Multitrace 4 (Trace Elements Injection 4, USP), Multitrace 4-Concentrate (Trace Elements Injection 4, USP); Multitrace 4-Pediatric (Trace Elements Injection 4, USP); Trace Elements Injection 4, USP - Pediatric

Product Code: 0517-7410-25; 0517-7201-25; 0517-7210-25; 0517-6202-25; 0517-9203-25; 0517-9310-25

1.2. Intended Use of the Product

Use of the Substance/Mixture: Indicated for use as a supplement to intravenous solutions given for TPN. Administration of the solution in TPN solutions helps to maintain plasma levels of zinc, copper, manganese and chromium and to prevent depletion of endogenous stores of these trace elements and subsequent deficiency symptoms. See individual package inserts for use in specific patient age groups.

1.3. Name, Address, and Telephone of the Responsible Party

Company

American Regent, Inc. 5 Ramsey Road P.O. Box 9001 Shirley, NY 1-800-645-1706

www.americanregent.com

L.4. Emergency Telephone Number

Emergency Number : CHEMTREC 1-800-424-9300

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US Classification

Skin Irrit. 2 H315
Eye Dam. 1 H318
Aquatic Acute 2 H401
Aquatic Chronic 2 H411

Full text of hazard classes and H-statements : see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)





Signal Word (GHS-US) : Danger

Hazard Statements (GHS-US) : H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H401 - Toxic to aquatic life.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary Statements (GHS-US) : P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, and eye protection.

P200 - Wear protective gloves, protective clothing, and eye protect

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

01/03/2019 EN (English US) 1/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a poison center or doctor.

P321 - Specific treatment (see section 4 on this SDS).

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Exposure may aggravate individuals with pre-existing skin, kidney, liver, and pulmonary disorders. These products should not be given should not be given undiluted by direct injection into a peripheral vein because of the potential for infusion phlebitis. Exposure to this product may result in dizziness, lethargy, poor coordination, electrolyte imbalances, renal and hepatic damage, dehydration, abdominal pain, nausea, vomiting and diarrhea. Refer to package insert for more information.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%	GHS-US classification
Water	(CAS-No.) 7732-18-5	96.3 - 99.6	Not classified
Zinc sulfate heptahydrate	(CAS-No.) 7446-20-0	0.2 - 2.2	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzyl alcohol	(CAS-No.) 100-51-6	<= 0.9	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation: dust, mist), H332 Eye Irrit. 2A, H319 Aquatic Acute 2, H401
Sulfuric acid, copper(2+) salt (1:1), pentahydrate	(CAS-No.) 7758-99-8	0.04 - 0.4	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Manganese sulfate monohydrate	(CAS-No.) 10034-96-5	0.008 - 0.154	STOT RE 2, H373 Aquatic Chronic 2, H411
Sodium hydroxide	(CAS-No.) 1310-73-2	<= 0.01	Met. Corr. 1, H290 Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402

01/03/2019 EN (English US) 2/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Chromium(III) chloride hexahydrate	(CAS-No.) 10060-12-5	0.0004 - 0.005	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Resp. Sens. 1, H334 Skin Sens. 1, H317 Repr. 2, H361 STOT SE 2, H371 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sulfuric acid	(CAS-No.) 7664-93-9	Used to adjust pH	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 3, H402
Chromium	(CAS-No.) 7440-47-3	Used to adjust pH	Comb. Dust

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact: Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Causes skin irritation. Causes serious eye damage. Pharmaceutical. When handling in workplace settings, in quantities that are most likely above the therapeutic dose, this product may be harmful if absorbed through the eyes, skin, or respiratory tract. Please refer to the package insert for more detailed information.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical. **Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Metal oxides. Sulfur oxides.

01/03/2019 EN (English US) 3/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not breathe vapor, mist or spray. Do not get in eyes, on skin, or on clothing.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Pharmaceutical. When handling in workplace settings, in quantities that are most likely above the therapeutic dose, this product may be harmful if absorbed through the eyes, skin, or respiratory tract. Use only as directed by the information identified in the package insert.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, and spray. Do not get in eyes, on skin, or on clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers. Magnesium. Nitromethane. Acetylene. Hydroxylamine. Ammonia.

Storage Temperature: 20 - 25 °C (68 to 77 °F)

7.3. Specific End Use(s)

Indicated for use as a supplement to intravenous solutions given for TPN. Administration of the solution in TPN solutions helps to maintain plasma levels of zinc, copper, manganese and chromium and to prevent depletion of endogenous stores of these trace elements and subsequent deficiency symptoms. See individual package inserts for use in specific patient age groups.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Benzyl alcohol (100-51-6)		
USA AIHA	WEEL TWA (ppm)	10 ppm
Sulfuric acid	(7664-93-9)	
USA ACGIH	ACGIH TWA (mg/m³)	0.2 mg/m³ (thoracic particulate matter)
USA ACGIH	ACGIH chemical category	Suspected Human Carcinogen contained in strong inorganic acid mists
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1 mg/m³

01/03/2019 EN (English US) 4/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

USA IDLH	US IDLH (mg/m³)	15 mg/m³	
USA OSHA	OSHA PEL (TWA) (mg/m³)	1 mg/m³	
Chromium (7	Chromium (7440-47-3)		
USA ACGIH	ACGIH TWA (mg/m³)	0.5 mg/m ³	
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	0.5 mg/m ³	
USA IDLH	US IDLH (mg/m³)	250 mg/m ³	
USA OSHA	OSHA PEL (TWA) (mg/m³)	1 mg/m³	
Sodium hydr	Sodium hydroxide (1310-73-2)		
USA ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m ³	
USA NIOSH	NIOSH REL (ceiling) (mg/m³)	2 mg/m ³	
USA IDLH	US IDLH (mg/m³)	10 mg/m ³	
USA OSHA	OSHA PEL (TWA) (mg/m³)	2 mg/m³	

8.2. Exposure Controls

Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles.







Materials for Protective Clothing

Hand Protection

Appearance

Eye and Face Protection

Skin and Body Protection

Respiratory Protection

: Chemically resistant materials and fabrics.

: Wear protective gloves.

: Chemical safety goggles.

: Wear suitable protective clothing.

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information : When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

5.1. Illioi mation on basic rhysical and chemical rroperties

Physical State : Liquid

: Multitrace-4: Clear, colorless to slightly blue Multitrace-4 Concentrate: Clear, blue Multitrace-4 Neonatal: Clear, Colorless Multitrace-4 Pediatric: Clear colorless Trace Elements Injection 4, Pediatric: Clear,

colorless

Odor : Multitrace-4 Concentrate: Odorless/Odor of Benzyl Alcohol
Multitrace-4 Neonatal: Odorless Multitrace-4 Pediatric: Odorless

Trace Elements Injection-4 Pediatric: Odor of Benzyl Alcohol

Odor Threshold : No data available

-1 : 1.5 - 3.5

Evaporation Rate : No data available
Melting Point : No data available
Freezing Point : No data available
Boiling Point : No data available
Flash Point : No data available
Flash Point : No data available

01/03/2019 EN (English US) 5/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Auto-ignition Temperature : No data available **Decomposition Temperature** : No data available Flammability (solid, gas) : Not applicable Vapor Pressure : No data available Relative Vapor Density at 20°C : No data available **Relative Density** : No data available **Specific Gravity** : Approx. 1.0 Solubility : No data available **Partition Coefficient: N-Octanol/Water** : No data available Viscosity : No data available

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

- **10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.
- **10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Magnesium. Nitromethane. Acetylene. Hydroxylamine. Ammonia.
- 10.6. Hazardous Decomposition Products: None expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity: Not classified

Zinc sulfate heptahydrate (7446-20-0)		
LD50 Oral Rat	1260 mg/kg	
Sulfuric acid, copper(2+) salt (1:1), pentahydrate (7758-99-8)	
LD50 Oral Rat	960 mg/kg	
LD50 Dermal Rabbit	> 8 g/kg	
Chromium(III) chloride hexahydrate (10060-12-5)		
LD50 Oral Rat	1870 mg/kg	
Benzyl alcohol (100-51-6)		
LD50 Oral Rat	1230 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LC50 Inhalation Rat	> 4.178 mg/l/4h	
ATE (Dust/Mist)	1.50 mg/l/4h	
Sulfuric acid (7664-93-9)		
LD50 Oral Rat	2140 mg/kg	
Chromium (7440-47-3)		
LD50 Oral Rat	> 5000 mg/kg	
LC50 Inhalation Rat	> 5.41 mg/l/4h	
Sodium hydroxide (1310-73-2)		
LD50 Oral Rat	140 - 340 mg/kg	

Skin Corrosion/Irritation: Causes skin irritation. (Conclusion based on OECD 435 In vitro Membrane Barrier Test method for Skin Corrosion)

pH: 1.5 - 3.5

Serious Eye Damage/Irritation: Causes serious eye damage.

pH: 1.5 - 3.5

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

01/03/2019 EN (English US) 6/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carcinogenicity: Not classified

Sulfuric acid (7664-93-9)	
IARC group	1
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.
Chromium (7440-47-3)	
IARC group	3

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. **Symptoms/Injuries After Eye Contact:** Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects. **Chronic Symptoms:** None expected under normal conditions of use.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General : Toxic to aquatic life with long lasting effects.

Zinc sulfate heptahydrate (7446-20-0)		
EC50 Daphnia 1	0.068 ml/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 Daphnia 2	0.15 - 0.5 (Exposure time: 48 h - Species: Daphnia magna)	
NOEC Chronic Fish	<= 0.0749 mg/l (Zinc)	
Sulfuric acid, copper(2+) salt (1:1), pentah	ydrate (7758-99-8)	
LC50 Fish 1	0.66 (0.66 - 1.15) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [semi-	
	static])	
EC50 Daphnia 1	0.147 (0.147 - 0.227) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
LC50 Fish 2	0.09 (0.09 - 0.19) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
Benzyl alcohol (100-51-6)		
LC50 Fish 1	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 Daphnia 1	23 mg/l (Exposure time: 48 h - Species: water flea)	
LC50 Fish 2	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
ErC50 (Algae)	770 mg/l	
Sulfuric acid (7664-93-9)		
LC50 Fish 1	500 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])	
LC50 Fish 2	42 mg/l (Exposure time: 96 h - Species: Gambusia affinis [static])	
Sodium hydroxide (1310-73-2)		
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
EC50 Daphnia 1	40 mg/l	

12.2. Persistence and Degradability

Multitrace 4 (Trace Elements Injection 4, USP), Multitrace 4-Concentrate (Trace Elements Injection 4, USP); Multitrace 4-Neonatal (Trace Elements Injection 4, USP); Multitrace 4-Pediatric (Trace Elements Injection 4, USP); Trace Elements Injection 4, USP - Pediatric

Persistence and Degradability

May cause long-term adverse effects in the environment.

12.3. Bioaccumulative Potential

Benzyl alcohol (100-51-6)

Multitrace 4 (Trace Elements Injection 4, USP), Multitrace 4-Concentrate (Trace Elements Injection 4, USP); Multitrace 4-Neonatal (Trace Elements Injection 4, USP); Multitrace 4-Pediatric (Trace Elements Injection 4, USP); Trace Elements Injection 4, USP - Pediatric

Bioaccumulative Potential

Not established.

01/03/2019 EN (English US) 7/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Log Pow	1.1
Sulfuric acid (7664-93-9)	
BCF Fish 1	(no bioaccumulation)

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions. Contaminated sharps should be handled with care and discarded immediately or as soon as possible in containers that are closable, puncture-resistant, leak proof on sides and bottoms, and appropriately labeled. Contact your local health department for referral to a syringe disposal program.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (Zinc sulfate heptahydrate)

Hazard Class : 9
Identification Number : UN3082
Label Codes : 9

Packing Group : III

Marine Pollutant : Marine pollutant


ERG Number : 171
14.2. In Accordance with IMDG

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc sulfate heptahydrate)

Hazard Class : 9
Identification Number : UN3082
Packing Group : III
Label Codes : 9
EmS-No. (Fire) : F-A

Label Codes: 9EmS-No. (Fire): F-AEmS-No. (Spillage): S-F

Marine Pollutant : Marine pollutant



Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc sulfate heptahydrate)

Packing Group : IIII
Identification Number : UN3082
Hazard Class : 9
Label Codes : 9
ERG Code (IATA) : 9L



SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

Multitrace 4 (Trace Elements Injection 4, USP), Multitrace 4-Concentrate (Trace Elements Injection 4, USP); Multitrace 4-Neonatal (Trace Elements Injection 4, USP); Multitrace 4-Pediatric (Trace Elements Injection 4, USP); Trace Elements Injection 4, USP - Pediatric

01/03/2019 EN (English US) 8/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SARA Section 311/312 Hazard Classes	Health hazard - Skin corrosion or Irritation	
	Health hazard - Serious eye damage or eye irritation	
Water (7732-18-5)		
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory	
Benzyl alcohol (100-51-6)		
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory	
Sulfuric acid (7664-93-9)		
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory	
Listed on the United States SARA Section 302		
Subject to reporting requirements of United States SARA	Section 313	
CERCLA RQ	1000 lb	
SARA Section 302 Threshold Planning Quantity (TPQ) 1000 lb		
SARA Section 313 - Emission Reporting	1 % (acid aerosols including mists, vapors, gas, fog, and other airborne	
	forms of any particle size)	
Chromium (7440-47-3)		
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory	
Subject to reporting requirements of United States SARA	Section 313	
CERCLA RQ	5000 lb no reporting of releases of this hazardous substance is	
	required if the diameter of the pieces of the solid metal released is	
	>100 µm	
SARA Section 313 - Emission Reporting 1 %		
Sodium hydroxide (1310-73-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
CERCLA RQ	1000 lb	

US State Regulations 15.2.

Sulfuric acid (7664-93-9)		
U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of	
	California to cause cancer.	
Benzyl alcohol (100-51-6)		
U.S Massachusetts - Right To Know List		
U.S Pennsylvania - RTK (Right to Know) List		
Sulfuric acid (7664-93-9)		
U.S Massachusetts - Right To Know List		
U.S New Jersey - Right to Know Hazardous Substance	e List	
U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List		
U.S Pennsylvania - RTK (Right to Know) List		
Chromium (7440-47-3)		
U.S Massachusetts - Right To Know List		
U.S New Jersey - Right to Know Hazardous Substance List		
U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List		
U.S Pennsylvania - RTK (Right to Know) - Special Hazardous Substances		
U.S Pennsylvania - RTK (Right to Know) List		

Sodium hydroxide (1310-73-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

: 01/09/2019 **Date of Preparation or Latest Revision**

01/03/2019 EN (English US) 9/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other Information

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

GHS Full Text Phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Inhalation: dust, mist)	Acute toxicity (inhalation: dust, mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Met. Corr. 1	Corrosive to metals Category 1
Repr. 2	Reproductive toxicity Category 2
Resp. Sens. 1	Respiratory sensitization, Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1C	Skin corrosion/irritation Category 1C
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 2	Specific target organ toxicity (single exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H334	May cause an allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child
H371	May cause damage to organs
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
<u> </u>	

01/03/2019 EN (English US) 10/11

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Refer to American Regent prescribing information for further information at: http://www.americanregent.com/AllProducts.aspx

The information above is believed to be accurate and represents the best information currently available to American Regent. The information has not been verified and we cannot, therefore, guarantee its accuracy or completeness or adequacy for all persons and situations or as to the results to be obtained by use of the information. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. WE MAKE NO WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR USE OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. Users should make their own investigations to determine the suitability of the information for their own particular purposes. The user assumes all risks from use of the product. In no event shall American Regent, Inc., its subsidiaries, its affiliates and its contractors be liable for any claims, losses or damages of any third party, or for lost profits, or for any special, indirect, incidental, consequential or exemplary damages however arising, even if American Regent, Inc. has been advised of the possibility of such damages.

SDS US (GHS HazCom)

01/03/2019 EN (English US) 11/11